

CERTIFICATE OF ACCREDITATION

The ANSI National Accreditation Board

Hereby attests that

D.H. Pace Compliance Services 1901 E. 119th Street Olathe, KS 66061

Fulfills the requirements of

ISO/IEC 17020:2012

In the field of

INSPECTION

This certificate is valid only when accompanied by a current scope of accreditation document. The current scope of accreditation can be verified at www.anab.org.

Jason Stine, Vice President

Expiry Date: 28 January 2027 Certificate Number: AI-2651









SCOPE OF ACCREDITATION TO ISO/IEC 17020:2012

D.H. Pace Compliance Services

1901 E. 119th Street Olathe, KS 66061

Jerry Rice jerry.rice@dhpace.com 816-480-2600

INSPECTION TYPE A (THIRD-PARTY) BODY

Valid to: January 28, 2027 Certificate Number: AI-2651

General Inspection

Version 005 Issued: January 27, 2025

Items, Materials OR Products Inspected	Type and Range of Inspection		Methods and Procedures
	In-Service	D.H.	Pace Compliance Services In-House Field Labeling Methods and Procedures
Verification of Fire Protection Rating for Swinging Fire Doors & Fire Door Frames, Fire Window Frames, Door Protection Plates, Fire Rated Glazing, and Fire Exit Devices.	FIRE DOOR FRAME FIELD INSPECTED Label Number: M8A0001 DO NOT REMOVE OR PAINT THIS LABEL OR 10 to 90 minutes in steel or wood stud and gypsum board wall construction. This door frame has been field inspected for conformity with UL 83. NFPA 80. and other industry standards. Fire rating valid only when all required components (e.g., if re door, labeled/listed glass/glazing, if installed, and labeled/listed door hardware) are present and door functions as required by building and fire codes.		
Verification of Air Leakage Rating for Swinging Smoke Door Assemblies.	smoke seal gaskeitng is required to form a o top of door. Smoke seal gasketing under do	D INSPI	S DO NOT REMOVE OR PAINT THIS LABEL Ardware NFPA 105 and other industry standards. Active roken seal along both vertical edges and across ressurized locations. Panic Hardware restricted 1-833-4DHPACE.







Items, Materials OR Products Inspected	Type and Range of Inspection	Methods and Procedures	
Verification of non-rated 20-minute fire door construction where positive latching is not required.	In-Service	D.H. Pace Compliance Services In-House Field Labeling Methods and Procedures	
	18/19.3.7.10. Self-closing or automatic-cl	COTED M12A0001 DHPACE COMPLIANCE	

Note:

1. This scope is formatted as part of a single document including Certificate of Accreditation No. AI-2651.







Version 005 Issued: January 27, 2025